

**FULLY SYNTHETIC  
ENGINE OIL 5W-30**

**RAZER SERIES**

**NATO Stock No. 6850-32-087-9448**

**RAZER  
RACING**

**LUPROMAX**



**HAT**  
HEAT ACTIVATED TECHNOLOGY

A member of  
**STLE**  
Society of Tribologists  
and Lubrication Engineers

A member of  
**NACE**  
INTERNATIONAL

**RoHS**  
Compliant

A member of  
**American Chemical Society**



Revolutionizing the Lubrication Industry through Heat Activated Technology

**LUPROMAX®**  
Lubricates • Protects • Maximizes

# LUPROMAX RAZER RACING

NATO Stock No. 6850-32-087-9448

Fully Synthetic  
Engine Oil 5W-30



## DESCRIPTION

LUPROMAX Oil with Heat Activated Technology™ is specially developed to LUBricate, PROtect and MAXimize your engine performance.

A proven formula developed in partnership with car manufacturers and competition race teams, LUPROMAX RAZER 5W-30 incorporates the best performing fully synthetic engine oil for on-road and off-road competition cars. This gives increased power and optimum engine protection that proves itself reliable in extreme conditions.

LUPROMAX RAZER 5W-30 with Heat Activated Technology™ couples LUPROMAX technology with a high performance additive system to provide superb protection for your engine, even under the most grueling racing conditions.

LUPROMAX Oil is engineered to provide maximum power for your driving experience.

## ADVANTAGES

- Helps provide maximum acceleration and horsepower for high-speed, high-revving cars
- Excellent protection at peak engine RPM and power conditions
- Excellent wear protection at high temperatures and highly effective protection from corrosion
- Extends engine life
- Excellent flow characteristics under extreme hot and cold operating conditions and during periods of intermittent use
- Reduces friction and engine noise, enhances shear stability for a quieter, smoother and enjoyable drive





Revolutionizing the Lubrication Industry through Heat Activated Technology

**LUPROMAX<sup>®</sup>**  
Lubricates • Protects • Maximizes

# LUPROMAX RAZER RACING

NATO Stock No. 6850-32-087-9448

Fully Synthetic  
Engine Oil 5W-30

## APPLICATIONS

LUPROMAX RAZER 5W-30 is designed to optimize performance and protection for modern passenger cars where API SN (and below) are recommended.

- LUPROMAX RAZER 5W-30 is suitable for use in high-performance turbo-charged and supercharged petrol engines.
- LUPROMAX RAZER 5W-30 is suitable for extreme engine stress conditions, where conventional oil often may not perform.

## STORAGE

All packages should be stored under cover. Where outside storage is unavoidable drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings. Product should not be stored above 60°C, exposed to hot sun or freezing conditions.

## SPECIFICATIONS

LUPROMAX RAZER 5W-30 meets and exceeds the requirements of:

API	CN
ACEA	A1/B1, A3/B3, A3/B4, A5/B5, C2, C3
VW	502.00/505.00/505.01
BMW	LL-04
PSA	B71 2290
MB	229.31/229.51
RENAULT	RN 0700

## TYPICAL PROPERTIES

Properties	Method	LUPROMAX RAZER RACING
ISO Viscosity Grade	SAE J 300	5W-30
Kinematic Viscosity @40°C cSt	ASTM D445	67.58
Kinematic Viscosity @100°C cSt	ASTM D445	11.17
Viscosity Index	ASTM D2270	158
TBN mgKOH/g	ASTM D2896	7.67
Flash Point °C	ASTM D92	222
Pour Point °C	ASTM D97	-42
Density @15°C kg/l	ASTM D4052	0.854

## HEALTH, SAFETY & ENVIRONMENT

- Health and Safety

LUPROMAX RAZER is unlikely to present any significant health or safety hazard when used properly in the recommended application provided in the Material Safety Data Sheet (MSDS) are followed.

Avoid contact with skin. Use impervious gloves with used oil. After skin contact, wash immediately with soap and water. Guidance on Health and Safety is available on the appropriate Material Safety Data Sheet, which can be obtained upon request through your sales contract office, or via the internet.

- Protect the Environment

Take used oil to an authorized collection point. Do not discharge into drains, soil or water.

## AVAILABLE PACKAGING

20 liters pail/ 200 liters drum



Revolutionizing the Lubrication Industry through Heat Activated Technology

For more information about Lupromax products, please contact your local distributor or Magna offices:

Distributed by:



**Headquarters & Far East Office:**  
**Magna International Pte Ltd**

10H Enterprise Road  
Singapore 629834

**Tel** (65) 6788-1228

**Fax** (65) 6785-1497

**Email** info@magnachem.com.sg

**Website**

<http://www.magnachem.com.sg>

**Indonesia Office:**  
**PT Magna Indonesia**

Central Park Office Tower,  
18th floor Suite #2

Jl. Letjen S. Parman Kav. 28  
Jakarta Barat 11470

**Tel** (62) 021-2903 4333

**Fax** (62) 021-2903 4260

**Email** contactus@lupromax.co.id

**North America Office:**

1450 Government Rd West  
Kirkland Lake Ontario P2N 2E9  
Canada

**Email** magna@vappro.com

**Australia Office:**

6/632-542 Hampton Street,  
Hampton VIC 3188  
Melbourne Australia

**Email**

nelsoncheng@magnaaustralia.com.au

**Website**

<http://www.magnaaustralia.com.au>

**ISO 9001**



Certificate No: AJA0002706

**ISO 14001**



Certificate No: AJA1316783

This data sheet and the information it contains is believed to be accurate as the data of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version on this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken for any damage or injury resulting from abnormal use of material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

LUPROMAX®