



Your Corrosion Solution

PRODUCT INFORMATION

VAPPRO 837C

Concentrated Water-Based VCI Inhibitor

Function: Vapour Corrosion Inhibitor (VCI)	Application: Coating	Form: Liquid
--	--------------------------------	------------------------

DESCRIPTION

VAPPRO 837C is a water-based vapour corrosion inhibitor for indoor application and it is specially developed to replace conventional oil inhibitors.

VAPPRO 837C VCI liquid has excellent corrosion inhibition properties for combating corrosion on copper, steel, brass, iron etc.

The vapour phase inhibitors in VAPPRO 837C migrate and envelope metal surfaces with corrosion protection ions.

Coils, stacks and sheet metal protected by VAPPRO 837C are always ready for use.



There is no cleaning or degreasing required on metals that are protected by VAPPRO 837C VCI liquid. Hence, it minimizes trade effluent discharge.

Protected metal will retain a rust free, clean surface, without affecting the paint-ability, conductivity properties or appearance of the metal.

FEATURES

- Multi-metal corrosion protection
- Self-healing VCI Film
- Provides immediate corrosion protection
- Easy application
- No degreasing needed for protected metals
- Effective and long-lasting protection for up to 12 months
- Biodegradable and environment friendly

APPLICATIONS

- All grades of cold and hot rolled steel
- Tinsplate
- Metals in process between pickling and annealing after stamping
- Metals in quenching and drawing processes
- Spray on edges of coils and metal sheets
- Void spaces
- Fogging

The details of our products are given completely free of undertaking. Since their application lies outside our control, we cannot accept any liability for the results. User shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith. All rights reserved.

DIRECTIONS FOR USE

- Spray or fog within enclosures or directly onto metals

PACKAGING

- 20 Litre pail
- 200 Litre drum

PHYSICAL PROPERTIES

Appearance	Clear to hazy amber liquid
pH	9 ± 0.5
Drying Time	<30 minutes
Coverage	30-40m ² per litre
Corrosion resistance	Up to 12 months
Removal Methods	Water or solvents
Flash Point	Non-flammable
Freeze Point	5°F (-15°C)
Specific Gravity	1.02 ± 0.05

North & South America



Warehouse Address

1450 Government Road West
Kirkland Lake, Ontario P2N 2E9 Canada
Tel: 416 479 9151 Fax: 888 317 1993
Email: magna@vapro.com
www.vapro.com

Office Address

33 Blue Heron Drive
Orangeville, Ontario L9W 5K5 Canada
Tel: 416-479-9151
Fax: 888-317-1993