

SAFETY DATA SHEET**SECTION I - PRODUCT IDENTIFICATION**

Product Identifier: Vapro 829 Enviro-Wrap
Other means of identification: VCI Cohesive Paper
Recommended use: VAPPRO 829 VCI ENVIRO-WRAP is cold seal cohesive VCI paper engineered for multi-metal corrosion protection
Manufacturer's Name: Magna Chemical Canada Inc.
Address: 1450 Government Road West, Kirkland Lake ON P2N 2E9
Phone: 705 642 3352 or 416 479 9151
Emergency only: Canutec 24hr Tel: 613 996 6666
Revision date: 15 January 2019

SECTION II – HAZARDS IDENTIFICATION**GHS CLASSIFICATION:**

None required.

GHS LABEL ELEMENTS SYMBOL(S)

None required.

SIGNAL WORDS:

None required.

GHS HAZARDS STATEMENTS:

None required.

GHS PRECAUTIONARY STATEMENTS:

None required.

RESPONSE:

None required.

SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS

<u>Ingredient Name:</u>	<u>Weight %:</u>	<u>CAS#</u>
Proprietary mixture of VCI corrosion inhibition coating and kraft paper	100	Mixture

SECTION IV – FIRST AID MEASURES**Inhalation**

Remove person to an uncontaminated area. Administer oxygen if necessary. If a cough or other respiratory symptoms develop, consult medical personnel. If breathing has stopped, administer CPR.

Skin Contact

Wash affected area with soap and water. If redness, itching or a burning sensation develops, get medical attention.

Eye Contact

Immediately flush with plenty of water for at least 15 minutes. Make sure to flush under eyelids. If redness, itching or a burning sensation develops, have eyes examined and treated by medical personnel.

Ingestion

Unlikely due to being in solid form. Should actual ingestion occur, do not induce vomiting. Get immediate medical attention.

SECTION V – FIRE FIGHTING MEASURES**Suitable Fire-extinguishing media**

Foam (alcohol-resistant foam), powder, and carbon dioxide are effective fire-extinguishing agents.

Specific hazards arising from the chemical

Water Spray (Fog); Dry Chemical; or Foam may be used where product is stored.

Special protective actions for fire fighters

Firemen should wear self-contained breathing apparatus and protective clothing when fighting chemical fires.

SECTION VI – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Avoid contact with spilled or released material. Immediately remove all contaminated clothing. For guidance of selection of personal protective equipments see Chapter 8 of this Safety Data Sheet.

Environmental Precautions

Prevent spills from entering drains or sewers.

Methods and materials for contaminated and cleaning up

In case of spill, sweep up and place in container for reuse, recycle or proper disposal.

SECTION VII – HANDLING AND STORAGE

Precautions for safe handling

Do not swallow. Avoid eyes and skin contact. Wear recommended protective equipment. Wash thoroughly after handling material.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed when not in use. Store in dry, cool, well-ventilated area away from incompatibles.

SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

10 mg/m³(as nuisance dust)

Appropriate engineering control measure

Under normal applications, general ventilation is adequate.

Individual protection measure

Protective Gloves

Neoprene or Nitrile gloves.

Eye Protection

Not required.

Respiratory Protection

Not required under normal use conditions with good general ventilation. Protect against generated mist/ spray back.

Hygienic Work Practices

Wash hand after use.

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Width	10", 20" and 30"
Length	500 ft
Paper Color	Brown
Paper Thickness	80gsm
Physical Form	Kraft Paper
Odour	Mild
Odour Threshold	Not applicable
pH	Not applicable
Melting Point	Not applicable
Freezing Point	Not applicable
Boiling Point	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Upper explosive limit	Not applicable
Lower explosive limit	Not applicable
Vapour Pressure	Not applicable
Vapour Density	Not applicable
Relative Density	Not applicable
Solubility	Insoluble

Partition coefficient: n-octanol/water	Not applicable
Viscosity	Not applicable
Auto-ignition Temperature	Not applicable

SECTION X – STABILITY & REACTIVITY

Reactivity/Incompatible materials

React with strong alkaline and oxidizing materials.

Chemical stability

Stable under normal temperature and pressure.

Possible of hazardous reaction

Data not available.

Conditions to avoid

Heat, contact with incompatible materials, open flame.

Hazardous decomposition products

Normal combustion products including CO, CO₂, NO_x and other.

SECTION XI – TOXICOLOGICAL INFORMATION

LD50 (Rat) (Oral): Not established.

EYE: Negligible hazard under normal use.

SKIN: Negligible hazard at ambient temperature under normal use.

INHALATION: Negligible hazard at ambient temperature under normal use.

INGESTION: May be harmful if swallowed.

Long-term toxicity: None of the components are listed as CMR* (*Carcinogenic, mutagenic or reproductive toxin)

SECTION XII – ECOLOGICAL INFORMATION

Eco-toxicity: No.

Mobility: No data.

Bio-accumulative Potential: No data.

SECTION XIII – DISPOSAL CONSIDERATIONS

Dispose of in accordance with existing Federal, State and local environmental regulation.

SECTION XIV – TRANSPORT INFORMATION

	Land (ADR)	Sea (IMDG)	Air (IATA)
UN Number:	Not regulated	Not regulated	Not regulated
Class:	Not regulated	Not regulated	Not regulated
Subsidiary risk:	Not regulated	Not regulated	Not regulated
Packing Group:	Not regulated	Not regulated	Not regulated
Proper Shipping Name:	Not regulated	Not regulated	Not regulated

SECTION XV – REGULATORY INFORMATION

No information available for this product.

SECTION XVI – OTHER INFORMATION

H.M.I.S rating: Health - 1, Fire - 0, Reactivity - 1, Protection - B

Where

0 = Insignificant

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

A = Safety Glass

B = Safety Glass & Gloves

C = Safety Glass, Gloves & Apron

D = Face Shield, Gloves & Apron

Replaces edition of: 10 March 2016

H.M.I.S: Hazardous Materials Identification System

CAS#: Chemical Abstracts Service Number

ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: recommended exposure limit

TWA8: The time weighted average concentration for a normal 8-hour workday and a 40-hour workweek, to which nearly all workers may be repeatedly exposed, day after day, without adverse effect.

N.A: Not applicable

N/E: Not establish

N.D: Not determine

C: Ceiling (The concentration that should not be exceeded during any part of the working exposure).

Disclaimer: This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Magna Chemical Canada Inc. The data on this sheet relates only to the specific material designated herein. Magna Chemical Canada Inc. assumes no legal responsibility for use or reliance upon these data. Magna Chemical Canada Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.