

SAFETY DATA SHEET**SECTION I - PRODUCT IDENTIFICATION**

Product Identifier: Vappro Rubberplast
Other means of identification: VCI Rubber and Plastic Conditioner
Recommended use: To combat premature aging of rubber and plastic parts
Supplier's Name: Magna Chemical Canada Inc.
Address: 1450 Government Road West Kirkland Lake ON P2N 2E9
Phone: 705 642 3352 or 416 479 9151
Emergency Only: Canutec 24hr Tel: 613-996-6666
Revision Date: 15 January 2019

SECTION II – HAZARDS IDENTIFICATION**GHS CLASSIFICATION:**

None required.

GHS LABEL ELEMENTS SYMBOL(S)

None required.

SIGNAL WORDS:

None required.

GHS HAZARDS STATEMENTS:

None required.

GHS PRECAUTIONARY STATEMENTS:

None required.

RESPONSE:

None required.

SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS

<u>Ingredient Name:</u>	<u>Weight %:</u>	<u>CAS#</u>
Proprietary mixture of Polydimethylsiloxane	65	Mixture
Alcohol Ethoxylate	1-5	78330-21-9
Triethanolamine-Dodecylbenzene Sulfonate	1-5	27323-41-7
Water	B/L	7732-18-5

SECTION IV – FIRST AID MEASURES**Inhalation**

None known.

Skin Contact

Wash affected area with soap and water. If redness, itching or a burning sensation develops, get medical attention.

Eye Contact

Immediately flush with plenty of water for at least 15 minutes. Make sure to flush under eyelids. If redness, itching or a burning sensation develops, have eyes examined and treated by medical personnel.

Ingestion

None known.

SECTION V – FIRE FIGHTING MEASURES**Suitable Fire-extinguishing media**

Foam (alcohol-resistant foam), powder, and carbon dioxide are effective fire-extinguishing agents.

Specific hazards arising from the chemical

Water Spray (Fog); Dry Chemical; or Foam may be used where product is stored.

Special protective actions for fire fighters

Firemen should wear self-contained breathing apparatus and protective clothing when fighting chemical fires.

SECTION VI – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Avoid contact with spilled or released material. Immediately remove all contaminated clothing. For guidance of selection of personal protective equipments see Chapter 8 of this Safety Data Sheet.

Environmental Precautions

Prevent spills from entering drains or sewers.

Methods and materials for contaminated and cleaning up

Contain spill if possible. Absorb with suitable chemical absorbent and wash affected area with water and detergent to reduce slipping hazard.

SECTION VII – HANDLING AND STORAGE

Precautions for safe handling

Do not swallow. Avoid eyes and skin contact. Wear recommended protective equipment. Wash thoroughly after handling material.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed when not in use. Store in dry, cool, well-ventilated area away from incompatibles.

SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

Triethanolamine-Dodecylbenzene Sulfonate:

Observe Triethanolamine limits, ACGIH TLV: TWA 5 mg/m³.

Appropriate engineering control measure

Under normal applications, general ventilation is adequate.

Individual protection measure

Protective Gloves

Neoprene or Nitrile gloves.

Eye Protection

Safety glasses with side shields are recommended when there is a possibility of splashing or spraying.

Respiratory Protection

Not required under normal use conditions with good general ventilation. Protect against generated mist/ spray back.

Hygienic Work Practices

Eyewash station and safety shower in work area.

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State	Liquid
Color	Milky White
Odour	Mild
Odour Threshold	Not applicable
pH	7-9
Melting Point	Not applicable
Freezing Point	0°C
Boiling Point	100°C
Flash Point	Not applicable
Evaporation Rate (Butyl Acetate = 1)	<1
Flammability (solid, gas)	Not applicable
Upper explosive limit	Not applicable

Lower explosive limit	Not applicable
Vapour Pressure	Not applicable
Vapour Density	Not applicable
Relative Density	0.99 ± 0.025
Solubility in Water	Dispersible
Partition coefficient: n-octanol/water	Not applicable
Viscosity	Not applicable
Auto-ignition Temperature	Not applicable

SECTION X – STABILITY & REACTIVITY

Reactivity/Incompatible materials

React with strong alkaline, acid and oxidizing materials.

Chemical stability

Stable under normal temperature and pressure.

Possible of hazardous reaction

Data not available.

Conditions to avoid

Heat, contact with incompatible materials, open flame.

Hazardous decomposition products

Normal combustion products including CO, CO₂, NO_x and other.

SECTION XI – TOXICOLOGICAL INFORMATION

LD50 (Rat) (Oral): Not established.

EYE: May cause irritation.

SKIN: May cause skin irritation.

INHALATION: May cause respiratory system irritation.

INGESTION: None Know

Long-term toxicity: None of the components are listed as CMR* (*Carcinogenic, mutagenic or reproductive toxin)

OTHER: This product contains methyl polysiloxanes which can generate formaldehyde at approximately 150°C and above, in atmospheres that contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard.

SECTION XII – ECOLOGICAL INFORMATION

Eco-toxicity: Specific ecological testing has not been conducted on this product.

Mobility: The product should not be allowed to enter drains or watercourses or be deposited where it can affect ground or surface waters.

Persistence and Degradability: There is no persistence or degradation data for any component of this product at this time.

Bio-accumulative Potential: No data.

SECTION XIII – DISPOSAL CONSIDERATIONS

Dispose of in accordance with existing Federal, State and local environmental regulation.

SECTION XIV – TRANSPORT INFORMATION

	Land (ADR)	Sea (IMDG)	Air (IATA)
UN Number:	Not regulated	Not regulated	Not regulated
Class:	Not regulated	Not regulated	Not regulated
Subsidiary risk:	Not regulated	Not regulated	Not regulated
Packing Group:	Not regulated	Not regulated	Not regulated

Proper Shipping Name:	Not regulated	Not regulated	Not regulated
------------------------------	---------------	---------------	---------------

SECTION XV – REGULATORY INFORMATION

TSCA	All components are listed or exempt.
DSL	All components are listed or exempt.
Sara Section 302:	None found.
SARA (304) Hazardous Substances:	CAS# 27323-41-7, wt% 1
Component name:	Triethanolamine-Dodecylbenzene Sulfonate
Sara (311, 312) Hazard Class:	Acute Health Hazard, Chronic Health Hazard
Sara (313) Chemicals:	None
CPSC Classification:	None

SECTION XVI – OTHER INFORMATION

H.M.I.S rating: Health - 2, Fire – 0, Reactivity – 0, Protection – B

Where

0 = Insignificant

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

A = Safety Glass

B = Safety Glass & Gloves

C = Safety Glass, Gloves & Apron

D = Face Shield, Gloves & Apron

Replaces edition of: 10 March 2016

H.M.I.S: Hazardous Materials Identification System

CAS#: Chemical Abstracts Service Number

ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: recommended exposure limit

TWA8: The time weighted average concentration for a normal 8-hour workday and a 40-hour workweek, to which nearly all workers may be repeatedly exposed, day after day, without adverse effect.

N.A: Not applicable

N/E: Not establish

N.D: Not determine

C: Ceiling (The concentration that should not be exceeded during any part of the working exposure).

Disclaimer: This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Magna Chemical Canada Inc. The data on this sheet relates only to the specific material designated herein. Magna Chemical Canada Inc. assumes no legal responsibility for use or reliance upon these data. Magna Chemical Canada Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.